AUTHOR INDEX TO VOLUME 159

Adachi, H., see R. Sekine 159 (1989) 161
Adelmann, P., see H.J. Bornemann 159 (1989) 173
Afanasyev, I.V., see V.I. Anisimov 159 (1989) 412
Alexandrov, A.S. and J. Ranninger, Sound in a lattice with charged bosons 159 (1989) 367
Almeida, M., see A.P. Gonçalves 159 (1989) 273
Alves, J.M., see A.P. Gonçalves 159 (1989) 273
Amelinckx, S., see H.W. Zandbergen 159 (1989) 81
Amelinckx, S., see J. Reyes-Gasga 159 (1989) 831
Ando, K., see N. Fukishima 159 (1989) 777
Anisimov, V.I., M.A. Korotin and I.V. Afanasyev, Localized and band states in superconducting oxides: La_2CuO_4 159 (1989) 412
Arko, A.J., see R.S. List 159 (1989) 439
Asano, H., see E. Takayama-Muromachi 159 (1989) 634
Asmar, N.G., see D.E. Morris 159 (1989) 287
Asomoza, M., see Bokhimi 159 (1989) 654
Asomoza, R., see Bokhimi 159 (1989) 654
Ayoub, N.Y., see C.L. Seaman 159 (1989) 391

Balzarotti, A., see F. Rochet 159 (1989) 447
Bando, Y., see K. Kamigaki 159 (1989) 505
Bartlett, R.J., see R.S. List 159 (1989) 439
Bastide, C., C. Lacroix and A. da Rosa Simoes, S-wave superconductivity with strong local repulsion 159 (1989) 347
Basu, B.K., S.M. Pattalwar, R.N. Dixit, S.Y. Shete, G. Chandra, A.K. Nigam and R.S. Sannabhadti, Heat capacity and AC susceptibility measurements of Ho-$Ba_2Cu_3O_{7-\delta}$ between 7 and 300 K 159 (1989) 379
Batlogg, B., see R.J. Cava 159 (1989) 372
Baules, P., see M.J. Casanove 159 (1989) 461
Berthier, C., see M. Horvatić 159 (1989) 689
Berthier, Y., see M. Horvatić 159 (1989) 689
Beuneu, F., see H. Vichery 159 (1989) 823
Bhagwat, K.V., see P. Chaddah 159 (1989) 570
Bjørnholm, T., see C.L. Seaman 159 (1989) 391
Bokhimi, A. Garcia-Ruiz, L. Pérez, E. Orozco, R. Asomoza and M. Asomoza, Oxygen and the 110 K phase in the BiSrCaCuO superconductor system 159 (1989) 654
Bolmont, D., see B. Loegel 159 (1989) 816
Borg, A., see P.A.P. Lindberg 159 (1989) 649
Bornemann, H.J., R. Kmiec, G. Czjzek, P. Adelmann and A. Seidel, Dependence of structure and T_c upon the distribution of iron over the copper sites in $GdBa_2Cu_{1-x}Fe_x)_3O_z$ 159 (1989) 173
Bourgault, D., see F. Studer 159 (1989) 609
Bowley, R.M., S. Iwama, P.J. King, D.S. Misra, W.B. Roys, M.S. Raven and K.N.R. Taylor, The electrical transport properties of granular high temperature superconductors

159 (1989) 51
Boyes, E.D., see P.L. Gai 159 (1989) 801
Brand, H.R., see M.M. Doria 159 (1989) 46
Brinkmann, D., see H. Zimmermann 159 (1989) 681
Bruggink, W.H.M., see J. Reyes-Gasga 159 (1989) 831
Brulet, A., see R. Kahn 159 (1989) 323
Burkhardt, E., see H. Schmid 159 (1989) 150
Burns, S.J., see A. Goyal 159 (1989) 313
Butaud, P., see M. Horvatić 159 (1989) 689

Cai, P., see J. Chen 159 (1989) 317
Campuzano, J.C., see R.S. List 159 (1989) 439
Cao, L., see H. Liu 159 (1989) 665
Cao, N., J.Q. Zheng, X.S. Chen and W.Y. Guan, Magnetic characteristics of normal and superconductive states in $SmBa_2Cu_3O_7$ 159 (1989) 195
Casanove, M.J., P. Baules, E. Snoeck and C. Roucau, The high T_c superconductor $Bi_2Sr_2CaCu_2O_8$ studied by electron microscopy. Influence of the partial substitution of Yb for Ca on the modulated structure 159 (1989) 461
Cava, R.J., J.J. Krajewski, W.F. Peck Jr., B. Batlogg and L.W. Rupp Jr., A straightforward synthetic route to the bulk form of the $LnBa_2Cu_4O_8$ superconductors (Ln=Er, Ho) at one atmosphere oxygen pressure 159 (1989) 372
Chaddah, P., K.V. Bhagwat and G. Ravikumar, Magnetisation hysteresis and critical current density 159 (1989) 570
Chandra, G., see B.K. Basu 159 (1989) 379
Chang, Y., see R.S. List 159 (1989) 439
Chen, J., L. Xie, Y. Zhao, P. Cai and H. Gu, Infrared studies of the oxygen-deficient triperovskite $YBa_2Cu_{3-x}Fe_xO_{7+y}$ compound 159 (1989) 317
Chen, K.Y. and Y.J. Qian, Critical current and magnetoresistance hysteresis in polycrystalline $YBa_2Cu_3O_{7-x}$ 159 (1989) 131
Chen, L.C., see R.S. Liu 159 (1989) 385
Chen, X.S., see N. Cao 159 (1989) 195
Chen, Z., see H. Liu 159 (1989) 665
Cheong, S.-W., Z. Fisk, J.D. Thompson and R.B. Schwarz, Systematics of new T*-phase superconductivity 159 (1989) 407
Choudhury, P., see A. Poddar 159 (1989) 226
Choudhury, P., see A. Poddar 159 (1989) 231
Christensen, P., see O. Peña 159 (1989) 443
Chu, C.W., see P.H. Hor 159 (1989) 629
Ciccarello, I., C. Fazio, M. Guccione and M. Li Vigni, Nonlinear microwave response in field-cooled high-T_c and type II superconductors 159 (1989) 769
Coddens, G., see M. Hennion 159 (1989) 124
Collin, G., see R. Kahn 159 (1989) 323
Collin, G., see H. Vichery 159 (1989) 697
Costa, F., see A.P. Gonçalves 159 (1989) 273
Crawford, M.K., see J.B. Parise 159 (1989) 255
Czjzek, G., see H.J. Bornemann 159 (1989) 173

Dam, B., see G.M. Stollman 159 (1989) 854

Da Rosa Simoes, A., see C. Bastide 159 (1989) 347
Dartyge, E., see F. Studer 159 (1989) 609
Das, A.N., see A. Poddar 159 (1989) 226
Das, A.N., see A. Poddar 159 (1989) 231
Datta, T., see P.K. Pujari 159 (1989) 75
Dayan, M. and V. Volterra, A test for consistency between measured Δ and T_c of $YBa_2Cu_3O_7$ and the strong coupling theory of superconductivity 159 (1989) 519
De Crescenzi, M., see F. Rochet 159 (1989) 447
De Jongh, L.J., see H.W. Zandbergen 159 (1989) 81
De Jongh, L.J., see W.T. Fu 159 (1989) 210
De Leeuw, D.M., see W.A. Groen 159 (1989) 417
Dessau, D.S., see P.A.P. Lindberg 159 (1989) 649
Dinia, A., see O. Peña 159 (1989) 443
Dixit, R.N., see B.K. Basu 159 (1989) 379
Doria, M.M., H.R. Brand and H. Pleiner, Possible explanation for the curvature in the upper critical field for ceramic superconductors 159 (1989) 46

Early, E.A., see C.L. Seaman 159 (1989) 391
Eckert, D., see A. Junod 159 (1989) 215
Ellis, W., see P.A.P. Lindberg 159 (1989) 649
Emel'chenko, G.A., see V.A. Grazhulis 159 (1989) 404
Emmen, J.H.P.M., see G.M. Stollman 159 (1989) 854
Eschrig, H., Chemical aspects and the correlated electronic structure of superconductor oxocuprates 159 (1989) 545

Farnoux, B., see R. Kahn 159 (1989) 323
Favrot, D., see H. Vichery 159 (1989) 697
Fazio, C., see I. Ciccarello 159 (1989) 769
Feile, R., Lattice vibrations in high-T_c superconductors: optical spectroscopy and lattice dynamics 159 (1989) 1
Feile, R., see J. Fröhlingsdorf 159 (1989) 513
Figueiredo, M.O., see A.P. Gonçalves 159 (1989) 273
Finlayson, T.R., see J.R. Fraser 159 (1989) 70
Fischer, P., see E. Kaldis 159 (1989) 668
Fisk, Z., see S.-W. Cheong 159 (1989) 407
Flambaum, V.V. and O.P. Sushkov, On the electronic structure of high-T_c superconductors. Undoped CuO_2-plane 159 (1989) 586
Flambaum, V.V. and O.P. Sushkov, On the electronic structure of high-T_c superconductors. The nature of charge carriers 159 (1989) 595
Fontaine, A., see F. Studer 159 (1989) 609
Fonteneau, G., see O. Peña 159 (1989) 443
Fraser, J.R., T.R. Finlayson and T.F. Smith, Time-dependent magnetization behaviour for type II superconductors – V_3Si 159 (1989) 70
Fröhlingsdorf, J., W. Zander, B. Stritzker, R. Feile and P. Leiderer, Macroscopic persistent currents in laser deposited $YBa_2Cu_3O_7$ films 159 (1989) 513
Froment, M., see F. Rochet 159 (1989) 447
Fu, W.T., see H.W. Zandbergen 159 (1989) 81

Fu, W.T., H.W. Zandbergen, W.G. Haije and L.J. de Jongh, Preparation and crystal structure of $Pb_2Ba_2YCu_3O_{8+\delta}$ 159 (1989) 210
Fujii, H., see K. Morimoto 159 (1989) 849
Fujii, H., see T. Shinjo 159 (1989) 869
Fujita, T., see T. Suzuki 159 (1989) 111
Fujiyoshi, T., see K. Yamafuji 159 (1989) 743
Fukami, T., T. Kamura, A.A.A. Youssef, Y. Horie and S. Mase, Magnetic flux creep properties in $Bi_2Sr_2CaCu_2O_8$ films made by the laser evaporation method 159 (1989) 422
Fukami, T., T. Kamura, A.A.A. Youssef, Y. Horie and S. Mase, The electronic and pinning properties of $Bi_2Sr_2CaCu_2O_8$ films by the laser evaporation method 159 (1989) 427
Fukase, T., see Y. Koike 159 (1989) 105
Fukishima, N., H. Niu, S. Nakamura, S. Takeno, M. Hayashi and K. Ando, Structural modulation and superconducting properties in $Bi_{2-x}Pb_xSr_2CaCu_2O_{8+d}$ and $Bi_{2-y}Pb_ySr_2YCu_2O_{8+d}$ 159 (1989) 777
Funkenbusch, P.D., see A. Goyal 159 (1989) 313
Furono, S., see D. Shindo 159 (1989) 794

Gai, P.L., see J.B. Parise 159 (1989) 245
Gai, P.L., see J.B. Parise 159 (1989) 255
Gai, P.L., M.A. Subramanian, J. Gopalakrishnan and E.D. Boyes, Microstructure and microchemistry of defects and interfaces in $Tl_2Ba_2Ca_3Cu_4O_{12}$, $TlBa_2Ca_4Cu_5O_{13}$ and (Tl, Pb)$Sr_2Ca_{n-1}Cu_nO_{2n+3}$ ($n=2$, 3) oxide superconductors 159 (1989) 801
Gama, S., see R.F. Jardim 159 (1989) 306
Garcia-Ruiz, A., see Bokhimi 159 (1989) 654
Gegenheimer, B., see N. Moser 159 (1989) 117
Ghamaty, S., see C.L. Seaman 159 (1989) 391
Ghosh, B., see A. Poddar 159 (1989) 226
Ghosh, B., see A. Poddar 159 (1989) 231
Ghosh Ray, K., see A. Poddar 159 (1989) 226
Ginley, D.S., see K.F. McCarty 159 (1989) 603
Godinho, M.M., see A.P. Gonçalves 159 (1989) 273
Golubov, A.D. and A.E. Koshelev, Microwave absorption by a long Josephson junction in magnetic field 159 (1989) 337
Gonçalves, A.P., I.C. Santos, M. Almeida, M.O. Figueiredo, F. Costa, J.M. Vieira, J.M. Alves and M.M. Godinho, Bi–Ca–Sr–Cu–O superconductors obtained by glass crystallisation; effect of potassium dopping 159 (1989) 273
Gong, C., see D. Sheng 159 (1989) 577
Goodenough, J.B., see A. Manthiram 159 (1989) 760
Gopalakrishnan, I.K., see P.K. Pujari 159 (1989) 75
Gopalakrishnan, I.K., see R. Srinivasan 159 (1989) 797
Gopalakrishnan, I.K., P.V.P.S.S. Sastry, H. Rajagopal, A. Sequeira, J.V. Yahmi and R.M. Iyer, Effect of argon-annealing and subsequent oxygen-annealing on the superconductivity and structure of $Tl_2CaBa_2Cu_2O_{8-x}$ 159 (1989) 811
Gopalakrishnan, J., see J.B. Parise 159 (1989) 239
Gopalakrishnan, J., see J.B. Parise 159 (1989) 245
Gopalakrishnan, J., see P.L. Gai 159 (1989) 801
Gor'kov, L.P. and A.V. Sokol, Phase diagram peculiarities of new superconductors in the model with localized and delocalized states 159 (1989) 329

Gougeon, P., see E. Vincent 159 (1989) 863
Goyal, A., S.J. Burns, S. Gracewski and P.D. Funkenbusch, Discontinuity of the isothermal elastic compliance across the superconducting transition in $Y_1Ba_2Cu_3O_{7-\delta}$ 159 (1989) 313
Gracewski, S., see A. Goyal 159 (1989) 313
Grazhulis, V.A., G.A. Emel'chenko and A.M. Ionov, Investigation of (001) surfaces of $La_{1.85}Sr_{0.15}CuO_4$: LEED and Auger studies 159 (1989) 404
Groen, W.A. and D.M. de Leeuw, Oxygen content, lattice constants and T_c of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 159 (1989) 417
Gromov, A.M., see Yu.A. Osipyan 159 (1989) 137
Groult, D., see T. Rouillon 159 (1989) 201
Gruehn, R., see J.-H. Müller 159 (1989) 527
Gu, C., see R.S. List 159 (1989) 439
Gu, H., see J. Chen 159 (1989) 317
Guan, W.Y., see N. Cao 159 (1989) 195
Guccione, M., see I. Ciccarello 159 (1989) 769

Haije, W.G., see W.T. Fu 159 (1989) 210
Hammann, J., see E. Vincent 159 (1989) 863
Hauchecorne, G., see F. Rochet 159 (1989) 447
Hayashi, M., see N. Fukishima 159 (1989) 777
Hennion, M., I. Mirebeau, G. Coddens, A. Menelle, T.E. Phillips, K. Moorjani and M. Hervieu, Dynamics of Fe in superconducting $YBa_2(Cu_{1-x}Fe_x)_3O_y$ by neutron scattering 159 (1989) 124
Herron, N., see J.B. Parise 159 (1989) 255
Hervieu, M., see M. Hennion 159 (1989) 124
Hervieu, M., see T. Rouillon 159 (1989) 201
Hewat, A.W., see R. Sonntag 159 (1989) 141
Hewat, A.W., see E. Kaldis 159 (1989) 668
Hewat, E.A., see E. Kaldis 159 (1989) 668
Hihara, T., see K. Morimoto 159 (1989) 849
Hiraga, K., see D. Shindo 159 (1989) 794
Hirai, T., see N. Kobayashi 159 (1989) 295
Hirata, K., see K. Kamigaki 159 (1989) 505
Hiroi, Z., see Y. Ikeda 159 (1989) 93
Hirsch, J.E., see F. Marsiglio 159 (1989) 157
Hodges, J.A., see E. Vincent 159 (1989) 863
Hohlwein, D., see R. Sonntag 159 (1989) 141
Hojou, K., see D. Shindo 159 (1989) 794
Hor, P.H., Y.Y. Xue, Y.Y. Sun, Y.C. Tao, Z.J. Huang, W. Rabalais and C.W. Chu, Structural anomalies in $Nd_{2-x}Ce_xCuO_{4-y}$: evidence for mixed valence and charge transfer 159 (1989) 629
Horie, Y., see T. Fukami 159 (1989) 422
Horie, Y., see T. Fukami 159 (1989) 427
Horvatić, M., Y. Berthier, P. Butaud, Y. Kitaoka, P. Ségransan, C. Berthier, H. Katayama-Yoshida, Y. Okabe and T. Takahashi, ^{17}O NMR study of $YBa_2Cu_3O_{7-\delta}$ (T_c=92 K) 159 (1989) 689
Hoser, A., see R. Sonntag 159 (1989) 141
Hosoito, N., see T. Shinjo 159 (1989) 869
Hosoya, S., see Y. Koike 159 (1989) 105

Huang, T.C., E. Moran, A.I. Nazzal, J.B. Torrance and P.W. Wang, Determination of the average ionic radius and effective valance of Ce in the $Nd_{2-x}Ce_xCuO_4$ electron superconductor system by X-ray diffraction 159 (1989) 625
Huang, Y.T., see R.S. Liu 159 (1989) 385
Huang, Z.J., see P.H. Hor 159 (1989) 629

Iijima, K., see K. Kamigaki 159 (1989) 505
Ikeda, Y., H. Ito, S. Shimomura, Y. Oue, K. Inaba, Z. Hiroi and M. Takano, Phases and their relations in the Bi–Sr–Cu–O system 159 (1989) 93
Ikeda, Y., see Y. Takeda 159 (1989) 789
Inaba, K., see Y. Ikeda 159 (1989) 93
Ionov, A.M., see V.A. Grazhulis 159 (1989) 404
Ishii, T. and T. Yamada, Anisotropic lower critical field of single crystal $Ba_2YCu_3O_y$ 159 (1989) 483
Ito, H., see Y. Ikeda 159 (1989) 93
Iwabuchi, Y., see Y. Koike 159 (1989) 105
Iwama, S., see R.M. Bowley 159 (1989) 51
Iwasaki, H., see N. Kobayashi 159 (1989) 295
Iwasaki, H., N. Kobayashi, M. Kikuchi, Y. Syono, Y. Muto and S. Nakajima, Anisotropic superconducting properties of high-T_c Tl–Ba–Ca–Cu–O single crystal 159 (1989) 301
Iye, Y., see T. Tamegai 159 (1989) 181
Iye, Y., S. Nakamura and T. Tamegai, Absence of current direction dependence of the resistive state of high temperature superconductors in magnetic fields 159 (1989) 433
Iye, Y., S. Nakamura and T. Tamegai, Hall effect in high temperature superconductors near T_c 159 (1989) 616
Iyer, R.M., see P.K. Pujari 159 (1989) 75
Iyer, R.M., see R. Srinivasan 159 (1989) 797
Iyer, R.M., see I.K. Gopalakrishnan 159 (1989) 811
Izumi, F., see E. Takayama-Muromachi 159 (1989) 634

Jardim, R.F. and S. Gama, Enhanced grain growth in $YBa_2(Cu_{1-x}Mn_x)_3O_{7-\delta}$ compounds 159 (1989) 306
Jiang, I.M., see S.T. Lin 159 (1989) 188
Jiang, P.Z., see R.S. List 159 (1989) 439
Jung, D., see J. Ren 159 (1989) 151
Junod, A., D. Eckert, G. Triscone, V.Y. Lee and J. Muller, Specific heat (1–330 K), Meissner effect and magnetic susceptibility of $Tl_2Ba_2Ca_2Cu_3O_{10}$, $Tl_2Ba_2CaCu_2O_8$ and $Tl_2Ba_2CuO_6$ ceramic samples 159 (1989) 215

Kadam, R.M., see E.V. Sampathkumaran 159 (1989) 267
Kadowaki, K., M.J.V. Menken and A.C. Moleman, Synthesis, phase formation and high-T_c superconductivity at 78 K of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ 159 (1989) 165
Kaga, H. and T. Yoshida, Quasiparticle interactions due to charge and spin fluctuations in the lattice heavy-fermion states 159 (1989) 727
Kahn, R., A. Brulet, G. Collin and B. Farnoux, Small-angle neutron scattering in monocrystalline YBaCuO 159 (1989) 323
Kaldis, E., P. Fischer, A.W. Hewat, E.A. Hewat, J. Karpinski and S. Rusiecki, Low temperature anomalies and pressure effects on the structure and T_c of the superconductor $YBa_2Cu_4O_8$ (T_c+0 K) 159 (1989) 668

Kaldis, E., see H. Zimmermann 159 (1989) 681
Kamigaki, K., H. Terauchi, T. Terashima, Y. Bando, K. Iijima, K. Yamamoto and K. Hirata, X-ray study on a 100 Å-thick $YBa_2Cu_3O_{7-\delta}$ epitaxial film: the relationship between the orthorhombic symmetry and superconductivity 159 (1989) 505
Kamura, T., see T. Fukami 159 (1989) 422
Kamura, T., see T. Fukami 159 (1989) 427
Kannewurf, C.R., see J. Zhao 159 (1989) 710
Kanno, R., see Y. Takeda 159 (1989) 789
Kapitulnik, A., see P.A.P. Lindberg 159 (1989) 649
Karpinski, J., see E. Kaldis 159 (1989) 668
Karpinski, J., see H. Zimmermann 159 (1989) 681
Katayama-Yoshida, H., see M. Horvatić 159 (1989) 689
Kato, K., see E. Takayama-Muromachi 159 (1989) 634
Kawabe, H., see N. Kobayashi 159 (1989) 295
Kawai, M., see R. Sekine 159 (1989) 161
Kemmler-Sack, S., see R. Sonntag 159 (1989) 141
Kerhervé, F., see F. Rochet 159 (1989) 447
Kiemel, R., see R. Sonntag 159 (1989) 141
Kikuchi, M., see H. Iwasaki 159 (1989) 301
Kikuchi, M., see D. Shindo 159 (1989) 794
Kim, T.Y., see K.J. Kwon 159 (1989) 659
King, P.J., see R.M. Bowley 159 (1989) 51
Kitaoka, Y., see M. Horvatić 159 (1989) 689
Kmiec, R., see H.J. Bornemann 159 (1989) 173
Kobayashi, N., see Y. Koike 159 (1989) 105
Kobayashi, N., H. Iwasaki, H. Kawabe, K. Watanabe, H. Yamane, H. Kurosawa, H. Masumoto, T. Hirai and Y. Muto, Resistive transition in $YBa_2Cu_3O_z$ and $Bi_2(Sr,Ca)_3Cu_z$ CVD films under high magnetic field 159 (1989) 295
Kobayashi, N., see H. Iwasaki 159 (1989) 301
Kobayashi, N., see D. Shindo 159 (1989) 794
Köbler, U., Susceptibility behaviour at the change from superconductivity to antiferromagnetism in $YBa_2Cu_3O_x$ 159 (1989) 491
Koblischka, M.R., see N. Moser 159 (1989) 117
Koike, Y., Y. Iwabuchi, S. Hosoya, N. Kobayashi and T. Fukase, Correlation between T_c and hole concentration in the cation-substituted $Bi_2Sr_2CaCu_2O_{8+\delta}$ system 159 (1989) 105
Konczykowski, M., see H. Vichery 159 (1989) 697
Kormann, R., see H. Vichery 159 (1989) 697
Korotin, M.A., see V.I. Anisimov 159 (1989) 412
Koshelev, A.E., see A.D. Golubov 159 (1989) 337
Kozioł, Z., Frequency dependent susceptibility of the ceramic $Y_1Ba_2Cu_3O_{7-\delta}$ – the spin-glass-like approach 159 (1989) 281
Krajewski, J.J., see R.J. Cava 159 (1989) 372
Krekels, T., see J. Reyes-Gasga 159 (1989) 831
Krishnan, H., see R. Srinivasan 159 (1989) 797
Kronmüller, H., see N. Moser 159 (1989) 117
Kudora, Y., see Y. Ōno 159 (1989) 878
Kulakov, V.I., see Yu.A. Osipyan 159 (1989) 137

Kurosawa, H., see N. Kobayashi 159 (1989) 295
Kusaka, T., see M. Takano 159 (1989) 375
Kusuda, T., see T. Shinjo 159 (1989) 869
Kwak, J.F., see K.F. McCarty 159 (1989) 603
Kwon, K.J., Z.S. Lim, T.Y. Kim, J.K. Son and S.-I. Lee, Superconductivity of Bi–Sr–Ca–Cu–O thick films prepared by a rapid solidification method 159 (1989) 659

Lacroix, C., see C. Bastide 159 (1989) 347
Lahiri, S.K., see A. Poddar 159 (1989) 226
Langmann, E., Theory of the upper critical magnetic field without local approximation 159 (1989) 561
Lapinskas, S., see V.E. Zubkus 159 (1989) 501
Ledbetter, H., Grüneisen parameter of $Y_1Ba_2Cu_3O_7$ 159 (1989) 488
Lee, B.W., see C.L. Seaman 159 (1989) 391
Lee, S.-I., see K.J. Kwon 159 (1989) 659
Lee, V.Y., see A. Junod 159 (1989) 215
Lee, W., D. Rainer and W. Zimmermann, Holstein effect in the far-infrared conductivity of high T_c superconductors 159 (1989) 535
Leiderer, P., see J. Fröhlingsdorf 159 (1989) 513
Lejay, P., see H. Vichery 159 (1989) 823
Le Page, Y., see J. Ren 159 (1989) 151
Levet, J.C., see E. Vincent 159 (1989) 863
Li, B., see H. Liu 159 (1989) 665
Liang, J.M., see R.S. Liu 159 (1989) 385
Lim, Z.S., see K.J. Kwon 159 (1989) 659
Lin, C.L., see S.T. Lin 159 (1989) 188
Lin, K.C., see S.T. Lin 159 (1989) 188
Lin, S.T., C.L. Lin, K.C. Lin, C. Tien and I.M. Jiang, Crystal structure, T_c, magnetic properties and Mössbauer spectrum of Fe-doped $GdBa_2Cu_3O_{7-\delta}$ 159 (1989) 188
Lindau, I., see P.A.P. Lindberg 159 (1989) 649
Lindberg, P.A.P., Z.-X. Shen, D.S. Dessau, B.O. Wells, A. Borg, W. Ellis, D.B. Mitzi, I. Lindau, W.E. Spicer and A. Kapitulnik, The electronic structure of $Bi_{2.0}Sr_{1.8}La_{0.3}Ca_{0.8}Cu_{2.1}O_{8+\delta}$ superconductors studied using ultraviolet and X-ray photoelectron spectroscopy 159 (1989) 649
Lindsay, M.P., see L. Lynds 159 (1989) 61
List, R.S., A.J. Arko, R.J. Bartlett, C.G. Olson, A.-B. Yang, R. Liu, C. Gu, B.W. Veal, Y. Chang, P.Z. Jiang, K. Vandervoort, A.P. Paulikas and J.C. Campuzano, Evidence from photoemission of strongly hybridized states at the Fermi level of $Bi_2Sr_2CaCu_2O_8$ 159 (1989) 439
Liu, H., W. Zhang, L. Zhou, Z. Mao, B. Li, M. Yan, L. Cao, Z. Chen, Y. Ruan, D. Peng and Y. Zhang, Superconducting properties in $Bi_{2-x-y}Pb_xSb_ySr_2Ca_2Cu_3O_z$ ($x=0$, 0.1, 0.3, 0.5; $y=0$, 0.1) 159 (1989) 665
Liu, R., see R.S. List 159 (1989) 439
Liu, R.S., J.M. Liang, S.F. Wu, Y.T. Huang, P.T. Wu and L.C. Chen, The fabrication and characterization of superconducting Tl–Pb–Ca–Pr–Sr–Cu–O compounds with $Y_1Ba_2Cu_3O_y$-like structure and T_c (zero) up to 106 K 159 (1989) 385
Li Vigni, M., see I. Ciccarello 159 (1989) 769
Loegel, B., D. Bolmont and A. Mehdaoui, Flux pinning and dynamical critical fields in some YBaCuO compounds 159 (1989) 816

Lösch, S., see R. Sonntag 159 (1989) 141
Lucas, J., see O. Peña 159 (1989) 443
Lynds, L., B.R. Weinberger, D.M. Potrepka, G.G. Peterson and M.P. Lindsay, High temperature superconducting thin films: the physics of pulsed laser ablation 159 (1989) 61

Maeda, T., K. Sakuyama, H. Yamauchi and S. Tanaka, Effects of Sb-doping on the formation of superconducting phases in Bi–Pb–Sr–Ca–Cu oxides 159 (1989) 784
Mali, M., see H. Zimmermann 159 (1989) 681
Mandal, P., see A. Poddar 159 (1989) 226
Mandal, P., see A. Poddar 159 (1989) 231
Manohar, S.B., see P.K. Pujari 159 (1989) 75
Manthiram, A. and J.B. Goodenough, Factors influencing T_c in 123 copper-oxide superconductors 159 (1989) 760
Mao, Z., see H. Liu 159 (1989) 665
Maple, M.B., see C.L. Seaman 159 (1989) 391
Marcy, H.O., see J. Zhao 159 (1989) 710
Marinelli, M., G. Morpurgo and C.L. Olcese, Diamagnetism of powder and bulk superconducting YBCO measured with a new magnetic levitometer, Physica C 157 (1989) 149. Erratum 159 (1989) 715
Markert, J.T., see C.L. Seaman 159 (1989) 391
Marks, T.J., see J. Zhao 159 (1989) 710
Marsiglio, F. and J.E. Hirsch, Tunneling asymmetry: a test of superconductivity mechanisms 159 (1989) 157
Martin, C., see F. Studer 159 (1989) 609
Mase, S., see T. Fukami 159 (1989) 422
Mase, S., see T. Fukami 159 (1989) 427
Masumoto, H., see N. Kobayashi 159 (1989) 295
Matsukuma, K., see T. Shinjo 159 (1989) 869
Matsushita, T., see K. Yamafuji 159 (1989) 743
Matsuura, T., see Y. Ōno 159 (1989) 875
Matsuura, T., see Y. Ōno 159 (1989) 878
McCarty, K.F., E.L. Venturini, D.S. Ginley, B. Morosin and J.F. Kwak, Observation of magnetic excitations in antiferromagnetic $TlYBa_2Cu_2O_7$ by inelastic light scattering 159 (1989) 603
McKinnon, W.R., see J. Ren 159 (1989) 151
Mehdaoui, A., see B. Loegel 159 (1989) 816
Menelle, A., see M. Hennion 159 (1989) 124
Menken, M.J.V., see K. Kadowaki 159 (1989) 165
Michel, C., see T. Rouillon 159 (1989) 201
Michel, C., see F. Studer 159 (1989) 609
Mirebeau, I., see M. Hennion 159 (1989) 124
Misra, D.S., see R.M. Bowley 159 (1989) 51
Mitzi, D.B., see P.A.P. Lindberg 159 (1989) 649
Miyamoto, M., see M. Takano 159 (1989) 375
Mizutani, T., see T. Shinjo 159 (1989) 869
Moleman, A.C., see K. Kadowaki 159 (1989) 165
Moorjani, K., see M. Hennion 159 (1989) 124
Moran, E., see T.C. Huang 159 (1989) 625
Morimoto, K., T. Takabatake, W. Ye, S. Orimo, T. Hihara and H. Fujii, ^1H NMR study of hydrogenated $YBa_2Cu_3O_{6.9}$ and $Bi_2Sr_2CaCu_2O_{8+\delta}$ 159 (1989) 849

Morosin, B., see K.F. McCarty 159 (1989) 603
Morpurgo, G., see M. Marinelli 159 (1989) 715
Morris, D.E., N.G. Asmar, J.H. Nickel, R.L. Sid, J.Y.T. Wei and J.E. Post, Stability of 124, 123, and 247 superconductors 159 (1989) 287
Moser, N., M.R. Koblischka, H. Kronmüller, B. Gegenheimer and H. Theuss, Observation of flux penetration in $YBa_2Cu_3O_{7-\delta}$ superconductors by means of the magneto-optical Faraday effect 159 (1989) 117
Motta, N., see F. Rochet 159 (1989) 447
Muller, J., see A. Junod 159 (1989) 215
Müller, J.-H. and R. Gruehn, Mechanism of the transition from orthorhombic to tetragonal $YBa_2Cu_3O_{7-x}$. Investigation of a reversible topotactic reaction in the electron microscope 159 (1989) 527
Müller, K.-H., AC susceptibility of high temperature superconductors in a critical state model 159 (1989) 717
Muto, Y., see N. Kobayashi 159 (1989) 295
Muto, Y., see H. Iwasaki 159 (1989) 301

Nagarajan, R., see A. Sequeira 159 (1989) 87
Nakajima, S., see H. Iwasaki 159 (1989) 301
Nakajima, S., see D. Shindo 159 (1989) 794
Nakamura, S., see Y. Iye 159 (1989) 433
Nakamura, S., see Y. Iye 159 (1989) 616
Nakamura, S., see N. Fukishima 159 (1989) 777
Nazzal, A.I., see T.C. Huang 159 (1989) 625
Neumeier, J.J., see C.L. Seaman 159 (1989) 391
Niarchos, D., see M. Pissas 159 (1989) 643
Nickel, J.H., see D.E. Morris 159 (1989) 287
Nigam, A.K., see B.K. Basu 159 (1989) 379
Nikolaev, R.K., see Yu.A. Osipyan 159 (1989) 137
Niu, H., see N. Fukishima 159 (1989) 777
Noel, H., see E. Vincent 159 (1989) 863
Nouruzi-Khorasani, A., see K.N.R. Taylor 159 (1989) 707
Novikov, G.V., see Yu.A. Osipyan 159 (1989) 137

Okabe, Y., see M. Horvatić 159 (1989) 689
Okada, H., see M. Takano 159 (1989) 375
Olcese, C.L., see M. Marinelli 159 (1989) 715
Olson, C.G., see R.S. List 159 (1989) 439
Ōno, Y. and T. Matsuura, Electronic state of strongly correlated electrons 159 (1989) 875
Ōno, Y., T. Matsuura and Y. Kudora, Critical study of strongly correlated systems: a unified description of the incoherent and coherent regimes 159 (1989) 878
Orimo, S., see K. Morimoto 159 (1989) 849
Orozco, E., see Bokhimi 159 (1989) 654
Osipyan, Yu.A., O.V. Zharikov, G.V. Novikov, N.S. Sidorov, V.I. Kulakov, L.V. Sypavina, R.K. Nikolaev and A.M. Gromov, Oxygen–iodine isomorphism in the Y–Ba–Cu–O ceramics 159 (1989) 137
Otsu, H., see D. Shindo 159 (1989) 794

Otto, A.J. and J.B. Vander Sande, Local critical current variability and bulk critical current in long superconductors 159 (1989) 357
Oue, Y., see Y. Ikeda 159 (1989) 93

Pankert, J., see G.M. Stollman 159 (1989) 854
Parise, J.B., C.C. Torardi, M.A. Subramanian, J. Gopalakrishnan, A.W. Sleight and E. Prince, Superconducting $Tl_{2.0}Ba_{2.0}CuO_{6+\delta}$: a high resolution neutron powder and single crystal X-ray diffraction investigation 159 (1989) 239
Parise, J.B., P.L. Gai, M.A. Subramanian, J. Gopalakrishnan and A.W. Sleight, The superconductors (Tl, Pb)$Sr_2CaCu_2O_7$ and (Tl, Pb)$Sr_2Ca_2Cu_3O_9$: neutron powder diffraction, high resolution electron microscopy and X-ray absorption studies 159 (1989) 245
Parise, J.B., N. Herron, M.K. Crawford and P.L. Gai, $Tl_{2-x}Cd_xBa_2CuO_{6+\delta}$: variation of T_c with cadmium substitution 159 (1989) 255
Pascard, H., see H. Vichery 159 (1989) 697
Patella, F., see F. Rochet 159 (1989) 447
Pattalwar, S.M., see B.K. Basu 159 (1989) 379
Paulikas, A.P., see R.S. List 159 (1989) 439
Peck Jr., W.F., see R.J. Cava 159 (1989) 372
Peña, O., C. Perrin, A. Dinia, M. Sergent, P. Christensen, G. Fonteneau and J. Lucas, Influence of fluorination on the 110 K transition in the Bi–Sr–Ca–Cu–O system 159 (1989) 443
Peng, D., see H. Liu 159 (1989) 665
Pérez, L., see Bokhimi 159 (1989) 654
Perrière, J., see F. Rochet 159 (1989) 447
Perrin, C., see O. Peña 159 (1989) 443
Peterson, G.G., see L. Lynds 159 (1989) 61
Phatak, G.M., see P.K. Pujari 159 (1989) 75
Phillips, T.E., see M. Hennion 159 (1989) 124
Pint, W. and E. Schachinger, Superconducting alloys with paramagnetic impurities I: theory of the upper critical field 159 (1989) 33
Pissas, M. and D. Niarchos, Preparation of the 110 K high T_c superconductor $Bi_2Sr_2Ca_2Cu_3O_y$ by Pb and Sb substitution 159 (1989) 643
Pleiner, H., see M.M. Doria 159 (1989) 46
Poddar, A., P. Mandal, K. Ghosh Ray, A.N. Das, B. Ghosh, P. Choudhury and S.K. Lahiri, Electrical resistance, magnetoresistance, magnetisation and ^{205}Tl NMR studies in the Tl–Ca–Ba–Cu–O system 159 (1989) 226
Poddar, A., P. Mandal, A.N. Das, B. Ghosh and P. Choudhury, Excess conductivity in $Tl_1Ca_3Ba_1Cu_3O_x$ and $Bi_1Ca_1Sr_1Cu_2O_x$ systems due to thermodynamic fluctuations 159 (1989) 231
Post, J.E., see D.E. Morris 159 (1989) 287
Potel, M., see E. Vincent 159 (1989) 863
Potrepka, D.M., see L. Lynds 159 (1989) 61
Pradhan, A.K., Vibrational spectra of $Bi_{2.2}Sr_{1.7}Ca_{1.1}Cu_2O_{8+y}$ superconductors 159 (1989) 277
Prakash, S., see P.K. Pujari 159 (1989) 75
Prandl, W., see R. Sonntag 159 (1989) 141
Prince, E., see J.B. Parise 159 (1989) 239
Provost, J., see T. Rouillon 159 (1989) 201
Pujari, P.K., T. Datta, S. Prakash, S.B. Manohar, I.K. Gopalakrishnan, G.M. Phatak, J.V. Yakhmi, P.V.P.S.S. Sastry and R.M. Iyer, Nature of the superconducting transition in high T_c Tl–Ca–Ba–Cu–O compounds: positron annihilation studies 159 (1989) 75

Qian, Y.J., see K.Y. Chen 159 (1989) 131

Rabalais, W., see P.H. Hor 159 (1989) 629
Rainer, D., see W. Lee 159 (1989) 535
Rajagopal, H., see A. Sequeira 159 (1989) 87
Rajagopal, H., see I.K. Gopalakrishnan 159 (1989) 811
Ranninger, J., see A.S. Alexandrov 159 (1989) 367
Rao, C.N.R., see A. Sequeira 159 (1989) 87
Raveau, B., see T. Rouillon 159 (1989) 201
Raveau, B., see F. Studer 159 (1989) 609
Raven, M.S., see R.M. Bowley 159 (1989) 51
Ravikumar, G., see P. Chaddah 159 (1989) 570
Ren, J., D. Jung, M.-H. Whangbo, J.-M. Tarascon, Y. le Page, W.R. McKinnon and C.C. Torardi, Electronic structure study of the formal oxidation state of bismuth in copper-oxide superconductors containing Bi–O double layers, Physica C 158 (1989) 501. Erratum 159 (1989) 151
Retoux, R., see F. Studer 159 (1989) 609
Reyes-Gasga, J., T. Krekels, G. Van Tendeloo, J. Van Landuyt, S. Amelinckx, W.H.M. Bruggink and H. Verweij, 3-D vacancy ordered superstructures in "homogeneous" $YBa_2Cu_3O_{7-\delta}$ 159 (1989) 831
Rivera, J.-P., see H. Schmid 159 (1989) 150
Rochet, F., A. Balzarotti, M. De Crescenzi, N. Motta, M. Sastry, F. Patella, J. Perrière, F. Kerhervé, G. Hauchecorne and M. Froment, Electronic properties of laser-deposited $Bi_2Sr_2CaCu_2O_{8+\delta}$ thin films by X-ray photoemission and X-ray Auger spectroscopies 159 (1989) 447
Roucau, C., see M.J. Casanove 159 (1989) 461
Rouillon, T., J. Provost, M. Hervieu, D. Groult, C. Michel and B. Raveau, Superconductivity up to 100 K in lead cuprates: a new superconductor $Pb_{0.5}Sr_{2.5}Y_{0.5}Ca_{0.5}Cu_2O_{7-\delta}$ 159 (1989) 201
Roys, W.B., see R.M. Bowley 159 (1989) 51
Ruan, Y., see H. Liu 159 (1989) 665
Rullier-Albenque, F., see H. Vichery 159 (1989) 697
Rupp Jr., L.W., see R.J. Cava 159 (1989) 372
Rusiecki, S., see E. Kaldis 159 (1989) 668
Rusiecki, S., see H. Zimmermann 159 (1989) 681

Sakuyama, K., see T. Maeda 159 (1989) 784
Sampathkumaran, E.V., M.D. Sastry and R.M. Kadam, Superconductivity in the Bi–Sr–Ca(Y, Gd)–Cu–O system: DC magnetic susceptibility and microwave absorption investigations 159 (1989) 267
Sankaranarayanan, V., see R. Srinivasan 159 (1989) 797
Sannabhadti, R.S., see B.K. Basu 159 (1989) 379
Santos, I.C., see A.P. Gonçalves 159 (1989) 273
Sastry, M., see F. Rochet 159 (1989) 447
Sastry, M.D., see E.V. Sampathkumaran 159 (1989) 267
Sastry, P.V.P.S.S., see P.K. Pujari 159 (1989) 75
Sastry, P.V.P.S.S., see R. Srinivasan 159 (1989) 797
Sastry, P.V.P.S.S, see I.K. Gopalakrishnan 159 (1989) 811

Sayer, M., see X. Yu 159 (1989) 496
Schachinger, E., see W. Pint 159 (1989) 33
Schäfer, W., see R. Sonntag 159 (1989) 141
Schlichenmaier, M., see R. Sonntag 159 (1989) 141
Schmid, H., E. Burkhardt, B.N. Sun and J.-P. Rivera, Uniaxial stress induced ferroelastic detwinning of $YBa_2Cu_3O_{7-\delta}$, Physica C 157 (1989) 555. Erratum 159 (1989) 150
Schwarz, R.B., see S.-W. Cheong 159 (1989) 407
Seaman, C.L., N.Y. Ayoub, T. Bjørnholm, E.A. Early, S. Ghamaty, B.W. Lee, J.T. Markert, J.J. Neumeier, P.K. Tsai and M.B. Maple, Magnetic and superconducting properties of the electron-doped compounds $Ln_{2-z}M_xCuO_{4-y}$ (Ln=Pr, Nd, Sm, Eu, Gd; M=Ce, Th) 159 (1989) 391
Seehra, M.S., see J. Zhao 159 (1989) 639
Ségransan, P., see M. Horvatić 159 (1989) 689
Seidel, A., see H.J. Bornemann 159 (1989) 173
Sekine, R., M. Kawai and H. Adachi, Electronic states of the CuO_x (x=4, 5,6) model clusters. I. Effect of hole density and Cu–O bond lengths 159 (1989) 161
Sequeira, A., H. Rajagopal, R. Nagarajan and C.N.R. Rao, Neutron diffraction evidence for oxygen dimers in Bi–Ca–Sr–Cu–O superconductors 159 (1989) 87
Sequeira, A., see I.K. Gopalakrishnan 159 (1989) 811
Sergeenkov, S.A., Diamagnetic correlations of the superconductive glass model 159 (1989) 43
Sergent, M., see O. Peña 159 (1989) 443
Shen, Z.-X., see P.A.P. Lindberg 159 (1989) 649
Sheng, D. and C. Gong, Strong 2D spin correlation induced O-pair superconductivity in the low temperature region 159 (1989) 577
Shete, S.Y., see B.K. Basu 159 (1989) 379
Shimomura, S., see Y. Ikeda 159 (1989) 93
Shindo, D., K. Hiraga, S. Nakajima, M. Kikuchi, Y. Syono, N. Kobayashi, K. Hojou, T. Soga, S. Furono and H. Otsu, Oxygen K-edge fine structure of $TlBa_2Ca_{1-x}Y_xCu_2O_7$ studied by electron energy loss spectroscopy 159 (1989) 794
Shinjo, T., T. Mizutani, N. Hosoito, T. Kusuda, T. Takabatake, K. Matsukuma and H. Fujii, Spin fluctuations in $La_{1.85}Sr_{0.15}CuO_4$ studied from ^{119}Sn Mössbauer spectroscopy 159 (1989) 869
Sid, R.L., see D.E. Morris 159 (1989) 287
Sidorov, N.S., see Yu.A. Osipyan 159 (1989) 137
Sleight, A.W., see J.B. Parise 159 (1989) 239
Sleight, A.W., see J.B. Parise 159 (1989) 245
Smith, T.F., see J.R. Fraser 159 (1989) 70
Snoeck, E., see M.J. Casanove 159 (1989) 461
Soga, T., see D. Shindo 159 (1989) 794
Sokol, A.V., see L.P. Gor'kov 159 (1989) 329
Son, J.K., see K.J. Kwon 159 (1989) 659
Sonntag, R., D. Hohlwein, A. Hoser, W. Prandl, W. Schäfer, R. Kiemel, S. Kemmler-Sack, S. Lösch, M. Schlichenmaier and A.W. Hewat, Structural changes of the superconductor $YBa_2Cu_3O_7$ by cobalt substitution. A high-resolution neutron powder diffraction study 159 (1989) 141
Spicer, W.E., see P.A.P. Lindberg 159 (1989) 649
Srinivasan, R., H. Krishnan, V. Sankaranarayanan, I.K. Gopalakrishnan, P.V.P.S.S. Sastry, J.V. Yakhmi and R.M. Iyer, Fluctuation induced excess conductivity in $Tl_2CaBa_2Cu_2O_8$ 159 (1989) 797
Stollman, G.M., B. Dam, J.H.P.M. Emmen and J. Pankert, Critical current density and pinning energy of an epitaxial $YBa_2Cu_3O_{7-\delta}$ film 159 (1989) 854

Stritzker, B., see J. Fröhlingsdorf 159 (1989) 513
Studer, F., D. Bourgault, C. Martin, R. Retoux, C. Michel, B. Raveau, E. Dartyge and A. Fontaine, Valence states of lead, thallium and copper in superconducting cuprates by XANES 159 (1989) 609
Subramanian, M.A., see J.B. Parise 159 (1989) 239
Subramanian, M.A., see J.B. Parise 159 (1989) 245
Subramanian, M.A., see P.L. Gai 159 (1989) 801
Sun, B.N., see H. Schmid 159 (1989) 150
Sun, Y.Y., see P.H. Hor 159 (1989) 629
Sushkov, O.P., see V.V. Flambaum 159 (1989) 586
Sushkov, O.P., see V.V. Flambaum 159 (1989) 595
Suzuki, T. and T. Fujita, Structural phase transition in $(La_{1-x}Ba_x)_2CuO_{4-\delta}$ 159 (1989) 111
Syono, Y., see H. Iwasaki 159 (1989) 301
Syono, Y., see D. Shindo 159 (1989) 794
Sypavina, L.V., see Yu.A. Osipyan 159 (1989) 137

Takabatake, T., see K. Morimoto 159 (1989) 849
Takabatake, T., see T. Shinjo 159 (1989) 869
Takahashi, T., see M. Horvatić 159 (1989) 689
Takano, M., see Y. Ikeda 159 (1989) 93
Takano, M., Y. Takeda, H. Okada, M. Miyamoto and T. Kusaka, $ACuO_2$ (a: alkaline earth) crystallizing in a layered structure 159 (1989) 375
Takano, M., see Y. Takeda 159 (1989) 789
Takayama-Muromachi, E., F. Izumi, Y. Uchida, K. Kato and H. Asano, Oxygen deficiency in the electron-doped superconductor $Nd_{2-x}Ce_xCuO_{4-y}$ 159 (1989) 634
Takeda, Y., see M. Takano 159 (1989) 375
Takeda, Y., R. Kanno, F. Tanigawa, O. Yamamoto, Y. Ikeda and M. Takano, Annealing effects on the Pb-doped 2223 phase under various temperatures and oxygen pressures 159 (1989) 789
Takeno, S., see N. Fukishima 159 (1989) 777
Tamegai, T. and Y. Iye, Transport properties of non-superconducting La-cuprates 159 (1989) 181
Tamegai, T., see Y. Iye 159 (1989) 433
Tamegai, T., see Y. Iye 159 (1989) 616
Tanaka, S., see T. Maeda 159 (1989) 784
Tanigawa, F., see Y. Takeda 159 (1989) 789
Tao, Y.C., see P.H. Hor 159 (1989) 629
Tarascon, J.-M., see J. Ren 159 (1989) 151
Taylor, K.N.R., see R.M. Bowley 159 (1989) 51
Taylor, K.N.R. and A. Nouruzi-Khorasani, Absence of twinning in the 60 K superconducting phase of $YBa_2Cu_3O_{7-\delta}$ 159 (1989) 707
Terashima, T., see K. Kamigaki 159 (1989) 505
Terauchi, H., see K. Kamigaki 159 (1989) 505
Theuss, H., see N. Moser 159 (1989) 117
Thompson, J.D., see S.-W. Cheong 159 (1989) 407
Tien, C., see S.T. Lin 159 (1989) 188
Toko, K., see K. Yamafuji 159 (1989) 743
Tonge, L.M., see J. Zhao 159 (1989) 710
Torardi, C.C., see J. Ren 159 (1989) 151

Torardi, C.C., see J.B. Parise 159 (1989) 239
Tornau, E.E., see V.E. Zubkus 159 (1989) 501
Torrance, J.B., see T.C. Huang 159 (1989) 625
Triscone, G., see A. Junod 159 (1989) 215
Tsai, P.K., see C.L. Seaman 159 (1989) 391

Uchida, Y., see E. Takayama-Muromachi 159 (1989) 634

Vander Sande, J.B., see A.J. Otto 159 (1989) 357
Vandervoort, K., see R.S. List 159 (1989) 439
Van Landuyt, J., see J. Reyes-Gasga 159 (1989) 831
Van Ruitenbeek, J.M., see H.W. Zandbergen 159 (1989) 81
Van Tendeloo, G., see H.W. Zandbergen 159 (1989) 81
Van Tendeloo, G., see J. Reyes-Gasga 159 (1989) 831
Veal, B.W., see R.S. List 159 (1989) 439
Veira, J.A. and F. Vidal, Paraconductivity of ceramic $YBa_2Cu_3O_{7-\delta}$ in the mean-field-like region 159 (1989) 468
Venturini, E.L., see K.F. McCarty 159 (1989) 603
Verweij, H., see J. Reyes-Gasga 159 (1989) 831
Vichery, H., F. Rullier-Albenque, H. Pascard, M. Konczykowski, R. Kormann, D. Favrot and G. Collin, Effects of low temperature electron irradiation on single crystal and sintered $YBa_2Cu_3O_{7-\delta}$ 159 (1989) 697
Vichery, H., F. Beuneu and P. Lejay, Microwave absorption in a single crystal of YBaCuO at low magnetic field 159 (1989) 823
Vidal, F., see J.A. Veira 159 (1989) 468
Vieira, J.M., see A.P. Gonçalves 159 (1989) 273
Vincent, E., J. Hammann, J.A. Hodges, H. Noel, M. Potel, J.C. Levet and P. Gougeon, Magnetic properties of $GdBa_2Cu_3O_{7-\delta}$ single crystals 159 (1989) 863
Volterra, V., see M. Dayan 159 (1989) 519

Wang, P.W., see T.C. Huang 159 (1989) 625
Watanabe, K., see N. Kobayashi 159 (1989) 295
Wei, J.Y.T., see D.E. Morris 159 (1989) 287
Weinberger, B.R., see L. Lynds 159 (1989) 61
Wells, B.O., see P.A.P. Lindberg 159 (1989) 649
Wessels, B.W., see J. Zhao 159 (1989) 710
Whangbo, M.-H., see J. Ren 159 (1989) 151
Wu, P.T., see R.S. Liu 159 (1989) 385
Wu, S.F., see R.S. Liu 159 (1989) 385

Xie, L., see J. Chen 159 (1989) 317
Xue, Y.Y., see P.H. Hor 159 (1989) 629

Yahmi, J.V., see I.K. Gopalakrishnan 159 (1989) 811
Yakhmi, J.V., see P.K. Pujari 159 (1989) 75
Yakhmi, J.V., see R. Srinivasan 159 (1989) 797
Yamada, T., see T. Ishii 159 (1989) 483

Yamafuji, K., T. Fujiyoshi, K. Toko and T. Matsushita, A theory of thermally activated flux creep in nonideal type II superconductors 159 (1989) 743
Yamamoto, K., see K. Kamigaki 159 (1989) 505
Yamamoto, O., see Y. Takeda 159 (1989) 789
Yamane, H., see N. Kobayashi 159 (1989) 295
Yamauchi, H., see T. Maeda 159 (1989) 784
Yan, M., see H. Liu 159 (1989) 665
Yang, A.-B., see R.S. List 159 (1989) 439
Ye, W., see K. Morimoto 159 (1989) 849
Yoshida, T., see H. Kaga 159 (1989) 727
Youssef, A.A.A., see T. Fukami 159 (1989) 422
Youssef, A.A.A., see T. Fukami 159 (1989) 427
Yu, X. and M. Sayer, Annealing effects on the critical currents in $YBa_2Cu_3O_{7-\delta}$ ceramics 159 (1989) 496

Zandbergen, H.W., W.T. Fu, J.M. van Ruitenbeek, L.J. de Jongh, G. van Tendeloo and S. Amelinckx, Superconductivity in $(Pb,Bi)_2Sr_{2-x}La_xCu_2O_{6+\delta}$ 159 (1989) 81
Zandbergen, H.W., see W.T. Fu 159 (1989) 210
Zander, W., see J. Fröhlingsdorf 159 (1989) 513
Zhang, W., see H. Liu 159 (1989) 665
Zhang, Y., see H. Liu 159 (1989) 665
Zhao, J. and M.S. Seehra, Dependence of T_c of $Bi_2Sr_2CaCu_2O_{8+x}$ on high temperature cycling and oxygen stoichiometry 159 (1989) 639
Zhao, J., H.O. Marcy, L.M. Tonge, B.W. Wessels, T.J. Marks and C.R. Kannewurf, Rapid thermal annealing of $YBa_2Cu_3O_{7-\delta}$ films prepared by OMCVD using a highly volatile fluorocarbon-based precursor 159 (1989) 710
Zhao, Y., see J. Chen 159 (1989) 317
Zharikov, O.V., see Yu.A. Osipyan 159 (1989) 137
Zheng, J.Q., see N. Cao 159 (1989) 195
Zhou, L., see H. Liu 159 (1989) 665
Zimmermann, H., M. Mali, D. Brinkmann, J. Karpinski, E. Kaldis and S. Rusiecki, Copper NQR and NMR in the superconductor $YBa_2Cu_4O_{8+x}$ 159 (1989) 681
Zimmermann, W., see W. Lee 159 (1989) 535
Zubkus, V.E., S. Lapinskas and E.E. Tornau, On oxygen ordering in $YBa_2Cu_3O_{7-x}$ 159 (1989) 501

ANALYTIC SUBJECT INDEX TO VOLUME 159

Absence of twinnings
– of $YBa_2Cu_3O_{7-\delta}$ 707
AC susceptibility in a critical state model 717
Analysis of chemical bonding 545
Anisotropy of H_{c_1} 483
Anisotropy of H_{c_2}
– in $TlBa_2CaCu_2O_9$ (single crystal) 301
Anistropic syperconducting properties 301
Annealing effect
– on $Tl_2CaBa_2Cu_2O_{8-\delta}$ 811
Annealing effects
– of $Bi_{1.73}Pb_{0.35}Sr_{1.89}Ca_{1.86}Cu_3O_x$ 789
Antiferromagnetic order
– in $GdBa_2Cu_3O_{7-\delta}$ 863
AUGER
– of $La_{1.85}Sr_{0.15}CuO_4$ 404
Auger spectroscopies
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (thin film) 447

Band structure of CU–O complex 545

Charge transfer gap 545
Cluster model
– of CuO_x (x=4,5,6) 161
Coqblin-Schrieffer model 727
Critical current 357
– of $YBa_2Cu_3O_{7-\delta}$ 131, 496, 513
Critical current density 570
– of epitaxial $YBa_2Cu_3O_{7-\delta}$ film 854
Cu K edge 609

Diamagnetic correlations 43
DV–Xα calculation 161
Dynamical critical fields
– of $YBa_2Cu_3O_{7-\delta}$ 816

EELS
– of $TlBa_2Ca_{1-x}Y_xCu_2O_7$ 794
Effect of electron irradiation
– on $YBa_2Cu_3O_{7-\delta}$ (single crystal) 697
Effects of Sb doping
– on Bi–Pb–Sr–Ca–Cu–O system 784
Elastic compliance
– of $YBa_2Cu_3O_{7-\delta}$ 313
Electric field gradient
– of $YBa_2Cu_3O_{7-\delta}$ 689
Electron diffraction
– $Bi_{2.375}Sr_{1.625}CuO_x$ 93
– $Bi_4Sr_8Cu_5O_x$ 93
– of $Bi_{2.1}Sr_{1.9}CuO_x$ 93
– of $Pb_{0.5}Sr_{2.5}Y_{0.5}Ca_{0.5}Cu_2O_{7-\delta}$ 201
Electron doped compounds 391
Electron microscopy
– of $Bi_2Sr_2Ca_{1-x}Yb_xCu_2O_{8+\delta}$ 461
Electronic state of strongly correlated electrons 875
Electronic structure
– of CuO_2 plane 586, 595
Electronic structure of Bi compounds 150
Eliashberg theory of superconductivity 535
Energy band calculations
– of La_2CuO_4 412
ESR
– of $Bi_2Sr_2Ca_{0.5}Gd_{0.5}Cu_2O_x$ 267
Excess conductivity
– in $BiSrCaCu_2O_x$ 231
– in $TlCa_3BaCu_3O_x$ 231

Factors influencing T_c
– in
$La_{1-x}Sr_xBa_{2-2y}Sr_{2y-z}La_zCu_3O_{6+\delta}$ 760
– in $LaBa_{2-2x}Ca_{2x}Cu_3O_{6+\delta}$ 760
– in $LaBa_{2-2x}Sr_{2x}Cu_3OO+\delta$ 760
– in $Y_{1-x}Ca_xBa_{2-2y}La_{2y}Cu_3O_{6+\delta}$ 760
– in $Yba_{2-2x}Sr_{2x}Cu_3O_{6+\delta}$ 760
Far-infrared conductivity 535
Fermi edge
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 439
Fluctuation effect on conductivity 231
Fluctuation induced excess conductivity
– in $Tl_2CaBa_2Cu_2O_8$ 797
Fluorination
– of $Bi_2SrCaCu_2O_x$ 443
Flux creep 743
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 422
– of $Bi_2(Sr,Ca)_3Cu_2O_x$ (film) 295
– of $YBa_2Cu_3O_x$ (film) 295
Flux pinning 743
– of $YBa_2Cu_3O_{7-\delta}$ 816
Frequency dependent susceptibility
– of $YBa_2Cu_3O_{7-\delta}$ 281

Generalized Ginzburg-Landau theory 46
Glass crystallization
– of Bi–Ca–Sr–Cu–O 273
Grüneisen parameter
– of $YBa_2Cu_3O_{7-\delta}$ 488
Grain growth
– in $YBa_2(Cu_{1-x}Mn_x)_3O_{7-\delta}$ 306

Hall effect
– of $Bi_2Sr_2CaCu_2O_{8-\delta}$ 616
– of $ErBa_2Cu_3O_{7-\delta}$ 616
Hc_2
– of $Nd_{1.85}Ce_{0.15}CuO_{3.98}$ 391
Heat capacity
– of $HoBa_2Cu_3O_{7-\delta}$ 379
Heavy fermion lattice 727
High pressure structure
– of $YBa_2Cu_4O_8$ 668
High resolution transmission electrom microscopy
– of $YBa_2Cu_3O_{7-\delta}$ 527
Hole concentration dependence of T_c 105
Holstein effect 535
HREM
– in $YBa_2Cu_3O_{7-\delta}$ 831
– of $Bi_4Sr_8Cu_5O_x$ 93
– of $Pb_{0.5}Sr_{2.5}Y_{0.5}Ca_2O_{7-\delta}$ 201
– of $Pb_2Sr_{2-x}La_xCu_2O_{6+\delta}$ 81
– of $Tl_{2-x}Cd_xBa_2CuO_{6+\delta}$ 255
– of $(Tl,Pb)Sr_2Ca_2Cu_3O_9$ 245
– of $(Tl,Pb)Sr_2CaCu_2O_7$ 245

Incommensulate modulation
– of $Bi_2Sr_2Ca_{1-x}Yb_xCu_2O_{8+\delta}$ 461
Infrared spectra
– of La_2CuO_4 1
– of $YBa_2Cu_2O_7$ 1
– of $YBa_2Cu_{3-x}Fe_xO_{7+\delta}$ 317
Ionic radius of Ce
– in $Nd_{2-x}Ce_xCuO_4$ 625
Isotope effect 25

Josephson junctions 337

Lattice vibrations 1
LCAO 545
LEED
– of $La_{1.85}Sr_{0.15}CuO_4$ 404
LMTD Green function method 412
Local critical current 357

Mössbauer effect
– of $GdBa_2Cu_{3-x}Fe_xO_{7-\delta}$ 188
Mössbauer spectroscopy
– of $YBa_2Cu_3O_{7-\delta}$ 137
– of ^{119}Sn in $La_{1.85}Sr_{0.15}CuO_4$ 869
Magnetic excitations
– of $TlYBa_2Cu_2O_7$ 603
Magnetic hyperfine shift
– of $YBa_2Cu_3O_{7-\delta}$ 689
Magneto optical Faraday effect
– of $YBa_3Cu_2O_{7-\delta}$ (single crystal) 117
Magnetorosistance
– of $YBa_2Cu_3O_{7-\delta}$ 131
Magnetic properties
– of $GdBa_2Cu_3O_{7-\delta}$ 863
Mechanism of the orthrombic-tetragonal transition
– of $YBa_2Cu_3O_{7-\delta}$ 527
Microstructure
– in $Tl_2Ba_2Ca_3Cu_4O_{12}$ 801
– in $TlBa_2Ca_4Cu_5O_{13}$ 801
– in $(Tl,Pb)Sr_2Ca_{n-1}Cu_nO_{2n+3}$ (n=2,3) 801
Microwave absorption 337
– of Bi–Sr–Ca(Y,Gd)–Cu–O 267
– of $YBa_2Cu_3O_{7-\delta}$ 823

Neutron diffraction
– of $Bi_2Ca_{1.5}Y_{0.5}SrCu_2O_{8+\delta}$ 87
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 87
– of $Bi_2SrCa_2Cu_2O_{8+\delta}$ 87
– of $Pb_2Ba_2YCu_3O_{8+\delta}$ 210
– of $Tl_2Ba_2CuO_{6+\delta}$ 239
– of $Tl_{2-x}Cd_xBa_2CuO_{6+\delta}$ 255
– of $(Tl,Pb)Sr_2Ca_2Cu_3O_9$ 245
– of $(Tl,Pb)Sr_2CaCu_2O_7$ 245
– of $YBa_2(Cu_{1-x}Fe_x)_3O_{9-\delta}$ 124
Neutron powder diffraction
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ 634
– of $YBa_2Cu_4O_8$ 668
NMR
– of $TlCa_3BaCu_3O_x$ 226
NMR of Cu
– in $YBa_2Cu_4O_{8+\delta}$ 681
NMR of ^{17}O
– in $YBa_2Cu_3O_{7-\delta}$ 689
Nonlinear microwave response
– in $YBa_2Cu_3O_7$ 769
NQR of Cu
– in $YBa_2Cu_4O_{8+\delta}$ 681

OMCVD 710
O-pair superconductivity 577
Oxygen content
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 417
Oxygen deficiency
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ 634
Oxygen dimers 87
Oxygen K-edge fine structure
– of $TlBa_2Ca_{1-x}Y_xCu_2O_7$ 794
Oxygen ordering
– of $YBa_2Cu_3O_{7-\delta}$ 501
Oxygen stoichiometry
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 639

Paraconductivity
– of $YBa_2Cu_3O_{7-\delta}$ 461
Pb LIII edge 609
Phase analysis of 123, 124 and 247 compounds 287
Phase diagram
– of Bi–Sr–Cu–O 93
– of $(La_{1-x}Ba_x)_2CuO_{4-\delta}$ 111
Photoemission
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 439
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (thin film) 447
Pinning energy
– of epitaxial $YBa_2Cu_3O_{7-\delta}$ film 854
Pinning properties
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 427
Positron annihilation 75
Preparation
– of $Bi_2Sr_2Ca_2Cu_3O_x$ Pb and Sb 643
Pressure dependence of T_c
– of $Nd_{1.85}Ce_{0.15}CuO_{7-\delta}$ 391
Pulsed laser ablation 61

Raman spectra
– of $Bi_{2.2}Sr_{1.7}Ca_{1.2}Cu_2O_{8+\delta}$ (singel crystal) 277
– of La_2CuO_4 1
– of $YBa_2Cu_3O_7$ 1
Raman spectroscopy
– of $TlYBa_2Cu_2O_7$ 603
Reflection high energy electron diffration (RHEED)
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (thin film) 447
Resistive transition
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 433
– of $Bi_2(Sr,Ca)_3Cu_2O_x$ (film) 295
– of $YBa_2Cu_3O_x$ (film) 295

Self-interactions correlation approach (SIC) 412
SEM
– of $YBa_2Cu_3O_{7-\delta}$ 496
Small angle neutron scattering (SANS)
– of $YBa_2Cu_3O_7$ (single crystal) 323
Sound velocity 367
Specific heat
– of $Tl_2Ba_2Ca_2Cu_3O_{10}$ 215
– of $Tl_2Ba_2CaCu_2O_8$ 215
– of $Tl_2Ba_2CuO_6$ 215
Spin fluctuations
– in $La_{1.85}Sr_{0.15}CuO_4$ 869
Spin-glass 281
Spin polarons 329
Strong coupling theory of superconductivity 519, 535
Strongly correlated systems 878
Structural anomalies
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ 629
Structural modulation
– in $Bi_{2-x}Pb_xSr_2CaCu_2O_{8+\delta}$ 777
– in $Bi_{2-x}Pb_xSr_2YCu_2O_{8+\delta}$ 777
Structural phase transition
– of $(La_{1-x}Ba_x)_2CuO_{4-\delta}$ 111
Structure
– of $YBa_2Cu_4O_8$ 668
Substitution of Cd
– in $Tl_2Ba_2CuO_{6+\delta}$ 255
Substitution of Co
– in $YBa_2Cu_3O_{7-\delta}$ 141
Substitution of Fe
– in $GdBa_2Cu_3O_y$ 173
Substitution of I
– in $YBa_2Cu_3O_{7-\delta}$ 137
Superconducting glass model 43
Superconductivity
– of $Bi_{2-x-y}Pb_xSb_yCa_2Cu_3O_7$ 665
– of Bi–Sr–Ca–Cu–O thick film 659
Superconductivity in the Hubbard model 347
Superstructures
– in $YBa_2Cu_3O_{7-\delta}$ 831
Susceptibility
– of $YBa_2Cu_3O_{7-\delta}$ 491
Susceptibility measurements
– of $Ln_{2-x}M_xCuO_{4-\delta}$ (Ln=Pr, Nd,Sm,Eu,Gd; M=Ce,Th) 391
S-wave superconductivity 347
Synthesis
– of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ 165
Synthesis of 123, 124 and 247 compounds 287
Systematic study of T_c of T* phase 407

Tetragonal epitaxial film
– of $YBa_2Cu_3O_{7-\delta}$ 505
Theory of the upper critical field 561
Thermal expansion coeffcient
– of $YBa_2Cu_3O_{7-\delta}$ 313
Thermally activated flux creep 743
Time dependent magnetization
– in V_3Si 70
Tl LIII edge 609
Transport properties
– of La–A–Cu–O (A=Ca,Sr,Ba) 181
Transport properties of granular superconductor 51
Tripolarons 367
Tunneling 157

Upper critical field 33, 46
UPS
– of $Bi_{2.0}Sr_{1.8}La_{0.3}Ca_{0.8}Cu_{2.1}O_{8+\delta}$ 649

Vacancy ordering
– in $YBa_2Cu_3O_{7-\delta}$ 831
Valance state of Ce
– in $Nd_{2-x}Ce_xCuO_4$ 625

XANES 609
XPS
– of $Bi_{2.0}Sr_{1.8}La_{0.3}Ca_{0.8}Cu_{2.1}O_{8+\delta}$ 649
– of $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ 629
X-ray L III absorption edges
– of $(Tl,Pb)Sr_2Ca_2Cu_3O_9$ 245

X-ray structural analysis
– of $Tl_2Ba_2CuO_{6+\delta}$ 239

^1H NMR
– in $YBa_2Cu_3O_{6.9}H_x$ 849
– of $Bi_2Sr_2CaCu_2O_{8+\delta}H_x$ 849

MATERIALS INDEX TO VOLUME 159

$Bi_{1.73}Pb_{0.35}Sr_{1.89}Ca_{1.86}Cu_3O_x$
- Annealing effects 789

$Bi_{2.0}Sr_{1.8}La_{0.3}Ca_{0.8}Cu_{2.1}O_{8+\delta}$
- UPS 649
- XPS 649

$Bi_{2.1}Sr_{1.9}CuO_x$
- Electron diffraction 93

$Bi_{2.2}Sr_{1.7}Ca_{1.2}Cu_2O_{8+\delta}$
- Raman spectra 277

$Bi_{2.375}Sr_{1.625}CuO_x$
- Electron diffraction 93

$Bi_2Ca_{1.5}Y_{0.5}SrCu_2O_{8+\delta}$
- Neutron diffraction 87

$Bi_2Sr_2Ca_{0.5}Gd_{0.5}Cu_2O_x$
- ESR 267

$Bi_2Sr_2Ca_{1-x}Yb_xCu_2O_{8+\delta}$
- Electron microscopy 461
- Incommensulate modulation 461

$Bi_2Sr_2Ca_2Cu_3O_xPb$
- Preparation 643

$Bi_2Sr_2CaCu_2O_{8+\delta}$
- Auger spectroscopies 447
- Fermi edge 439
- Flux creep 422
- Neutron diffraction 87
- Oxygen content 417
- Oxygen stoichiometry 639
- Photoemission 439, 447
- Pinning properties 427
- Reflection high energy electron diffration (RHEED) 447
- Resistive transition 433

$Bi_2Sr_2CaCu_2O_{8+\delta}H_x$
- ^1H NMR 849

$Bi_2Sr_2CaCu_2O_{8-\delta}$
- Hall effect 616

$Bi_2SrCa_2Cu_2O_{8+\delta}$
- Neutron diffraction 87

$Bi_2(Sr,Ca)_3Cu_2O_x$
- Flux creep 295
- Resistive transition 295

$Bi_2SrCaCu_2O_x$
- Fluorination 443

$Bi_{2-x}Pb_xSr_2CaCu_2O_{8+\delta}$
- Structural modulation 777

$Bi_{2-x}Pb_xSr_2YCu_2O_{8+\delta}$
- Structural modulation 777

$Bi_{2-x-y}Pb_xSb_yCa_2Cu_3O_7$
- Superconductivity 665

$Bi_4Sr_8Cu_5O_x$
- Electron diffraction 93
- HREM 93

Bi–Ca–Sr–Cu–O
- Glass crystallization 273

Bi–Pb–Sr–Ca–Cu–O
- Effects of Sb doping 784

$BiSrCaCu_2O_x$
- Excess conductivity 231

Bi–Sr–Ca–Cu–O
- Superconductivity 659

Bi–Sr–Ca(Y,Gd)–Cu–O
- Microwave absorption 267

Bi–Sr–Cu–O
- Phase diagram 93

CuO_2
- Electronic structure 586, 595

$CuO_x (x=4,5,6)$
- Cluster model 161

$ErBa_2Cu_3O_{7-\delta}$
- Hall effect 616

$GdBa_2Cu_3O_{7-\delta}$
- Antiferromagnetic order 863
- Magnetic properties 863

$GdBa_2Cu_3O_y$
- Substitution of Fe 173

$GdBa_2Cu_{3-x}Fe_xO_{7-\delta}$
- Mössbauer effect 188

$HoBa_2Cu_3O_{7-\delta}$
- Heat capacity 379

$La_{1.85}Sr_{0.15}CuO_4$
- AUGER 404
- LEED 404
- Mössbauer spectroscopy 869
- Spin fluctuations 869

$(La_{1-x}Ba_x)_2CuO_{4-\delta}$
- Phase diagram 111
- Structural phase transition 111

$La_{1-x}Sr_xBa_{2-2y}Sr_{2y-z}La_zCu_3O_{6+\delta}$
- Factors influencing T_c 760

La_2CuO_4
- Energy band calculations 412
- Infrared spectra 1
- Raman spectra 1

La–A–Cu–O
- Transport properties 181

$LaBa_{2-2x}Ca_{2x}Cu_3O_{6+\delta}$
- Factors influencing T_c 760

$LaBa_{2-2x}Sr_{2x}Cu_3OO+\delta$
- Factors influencing T_c 760

$Ln_{2-x}M_xCuO_{4-\delta}$
- Susceptibility measurements 391

$Nd_{1.85}Ce_{0.15}CuO_{3.98}$
- Hc_2 391

$Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$
- XPS 629

$Nd_{1.85}Ce_{0.15}CuO_{7-\delta}$
- Pressure dependence of T_c 391

$Nd_{2-x}Ce_xCuO_4$
- Ionic radius of Ce 625
- Valance state of Ce 625

$Nd_{2-x}Ce_xCuO_{4-\delta}$
- Neutron powder diffraction 634
- Oxygen deficiency 634
- Structural anomalies 629

$Pb_{0.5}Sr_{2.5}Y_{0.5}Ca_{0.5}Cu_2O_{7-\delta}$
- Electron diffraction 201

$Pb_{0.5}Sr_{2.5}Y_{0.5}Ca_2O_{7-\delta}$
- HREM 201

$Pb_2Ba_2YCu_3O_{8+\delta}$
- Neutron diffraction 210

$Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$
- Synthesis 165

$Pb_2Sr_{2-x}La_xCu_2O_{6+\delta}$
- HREM 81

$Tl_2Ba_2Ca_2Cu_3O_{10}$
- Specific heat 215

$Tl_2Ba_2Ca_3Cu_4O_{12}$
- Microstructure 801

$Tl_2Ba_2CaCu_2O_8$
- Specific heat 215

$Tl_2Ba_2CuO_6$
- Specific heat 215

$Tl_2Ba_2CuO_{6+\delta}$
- Neutron diffraction 239
- Substitution of Cd 255
- X-ray structural analysis 239

$Tl_2CaBa_2Cu_2O_8$
- Fluctuation induced excess conductivity 797

$Tl_2CaBa_2Cu_2O_{8-\delta}$
– Annealing effect 811
$Tl_{2-x}Cd_xBa_2CuO_{6+\delta}$
– HREM 255
– Neutron diffraction 255
$TlBa_2Ca_{1-x}Y_xCu_2O_7$
– EELS 794
– Oxygen K-edge fine structure 794
$TlBa_2Ca_4Cu_5O_{13}$
– Microstructure 801
$TlBa_2CaCu_2O_9$
– Anisotropy of H_{c2} 301
$TlCa_3BaCu_3O_x$
– Excess conductivity 231
– NMR 226
$(Tl,Pb)Sr_2Ca_2Cu_3O_9$
– HREM 245
– Neutron diffraction 245
– X-ray L III absorption edges 245
$(Tl,Pb)Sr_2CaCu_2O_7$
– HREM 245
– Neutron diffraction 245
$(Tl,Pb)Sr_2Ca_{n-1}Cu_nO_{2n+3}$
– Microstructure 801
$TlYBa_2Cu_2O_7$
– Magnetic excitations 603
– Raman spectroscopy 603

V_3Si
– Time dependent magnetization 70

$Y_{1-x}Ca_xBa_{2-2x}La_{2x}Cu_3O_{6+\delta}$
– Factors influencing T_c 760

$YBa_2(Cu_{1-x}Fe_x)_3O_{9-\delta}$
– Neutron diffraction 124
$YBa_2(Cu_{1-x}Mn_x)_3O_{7-\delta}$
– Grain growth 306
$YBa_2Cu_2O_7$
– Infrared spectra 1
$YBa_2Cu_3O_{6.9}H_x$
– ^1H NMR 849
$YBa_2Cu_3O_7$
– Nonlinear microwave response 769
– Raman spectra 1
– Small angle neutron scattering (SANS) 323
$YBa_2Cu_3O_{7-\delta}$
– Absence of twinnings 707
– Critical current 131, 496, 513
– Critical current density 854
– Dynamical critical fields 816
– Effect of electron irradiation 697
– Elastic compliance 313
– Electric field gradient 689
– Flux pinning 816
– Frequency dependent susceptibility 281
– Grüneisen parameter 488
– High resolution transmission electrom microscopy 527
– HREM 831
– Mössbauer spectroscopy 137
– Magnetic hyperfine shift 689
– Magnetorosistance 131
– Mechanism of the orthrombic-tetragonal transition 527
– Microwave absorption 823
– NMR of ^{17}O 689
– Oxygen ordering 501
– Paraconductivity 461
– Pinning energy 854
– SEM 496
– Substitution of Co 141
– Substitution of I 137
– Superstructures 831
– Susceptibility 491
– Tetragonal epitaxial film 505
– Thermal expansion coeffcient 313
– Vacancy ordering 831
$YBa_2Cu_3O_x$
– Flux creep 295
– Resistive transition 295
$YBa_2Cu_{3-x}Fe_xO_{7+\delta}$
– Infrared spectra 317
$YBa_2Cu_4O_8$
– High pressure structure 668
– Neutron powder diffraction 668
– Structure 668
$YBa_2Cu_4O_{8+\delta}$
– NMR of Cu 681
– NQR of Cu 681
$Yba_{2-2x}Sr_{2x}Cu_3O_{6+\delta}$
– Factors influencing T_c 760
$YBa_3Cu_2O_{7-\delta}$
– Magneto optical Faraday effect 117